## NATIONAL STD/AIDS CONTROL PROGRAMME

## QUARTERLY RETURN OF SEXUALLY TRANSMITTED DISEASE INCLUDING HIV/AIDS FOR EPIDEMIOLOGICAL BULLETIN OF THE EPIDEMIOLOGY UNIT OF MINISTRY OF HEALTH

New episodes of STD/HIV/AIDS reported or treated at STD clinics in Sri Lanka Year 2015 3rd Quarter

Disease		New cases or new disease episodes during the quarter			Total new cases or new episodes for the calendar year up to end of the quarter#		
		Male	Female	Total	Male	Female	Total
HIV Positives <sup>1</sup>		47	14	61	127	40	167
AIDS		13	6	19	28	11	39
Syphilis	Early Syphilis <sup>2</sup>	28	12	40	98	43	141
	Late Syphilis <sup>3</sup>	147	88	235	468	268	736
	Congenital Syphilis <sup>4</sup>	4	2	6	7	7	14
Gonorrhoea <sup>5</sup>		61	29	90	258	86	344
Ophthalmia Neonatorum <sup>6</sup>		1	0	1	1	0	1
Non specific cervicitis/urethritis		136	452	588	416	1221	1637
Chlamydial Infection		29	22	51	33	24	57
Genital Herpes		353	474	827	917	1257	2174
Genital Warts		289	228	517	849	628	1477
Chancroid		0	0	0	4	4	8
Trichomoniasis		2	30	32	10	78	88
Candidasis		252	421	673	724	1177	1901
Bacterial Vaginosis		0	413	413	0	1046	1046
Other sexually transmitted disease		155	43	198	346	130	476
Non-venereal <sup>8</sup>		872	572	1444	2536	1498	4034

- \* Central STD clinic Colombo and peripheral STD clinics of National STD/AIDS Control Programme of Sri Lanka # Includes adjustments for revised diagnosis, reporting delays or any other amendments
- 1-Includes AIDS cases
- 2-Diagnosed within 2 years of infection and considered to be infectious.
- 3-Diagnosed after 2 years of infection and considered to be non-infectious
- 4-Includes both early and late cases
- 5-Includes presumptive Gonorrhoea
- 6-Includes both gonococcal and chlamydial conjunctivitis in neonatal period
- 7-Includes Lympho granuloma venerium, Granuloma inguinalae, Molluscum contagiosum, Scabis, Tinea, Hepatitis-B etc.
- 8-Number of STD clinic attendees who were not having sexually transmitted diseases