NATIONAL STD/AIDS CONTROL PROGRAMME

QUARTERLY RETURN OF SEXUALLY TRANSMITTED DISEASE INCLUDING HIV/AIDS FOR EPIDEMIOLOGICAL BULLETIN OF THE EPIDEMIOLOGY UNIT OF MINISTRY OF HEALTH

New episodes of STD/HIV/AIDS reported or treated at STD clinics in Sri Lanka

Year 2020 1st Quarter

Disease	New cases or new disease			Total new cases or new episodes		
	episodes during the quarter			for the calendar year up to end		
				of the quarter#		
	Male	Female	Total	Male	Female	Total
HIV Positives ¹	90	19	109	90	19	109
AIDS			0			
Early Syphilis ²	32	8	40	32	8	40
Late Syphilis ³	96	52	148	96	52	148
Congenital Syphilis ⁴	0	1	1	0	1	1
Gonorrhoea⁵	86	7	93	86	7	93
Ophthalmia Neonatorum ⁶	0	0	0	0	0	0
Non specific cervicitis/urethritis	255	583	838	255	583	838
Chlamydial Infection	1	2	3	1	2	3
Genital Herpes	319	415	734	319	415	734
Genital Warts	364	293	657	364	293	657
Pelvic inflammatory disease	0	22	22	0	22	22
Trichomoniasis	0	11	11	0	11	11
Candidasis	358	448	806	358	448	806
Bacterial Vaginosis	0	397	397	0	397	397
Other sexually transmitted diseases ⁷	147	55	202	147	55	202
Non-venereal ⁸	951	444	1395	951	444	1395

^{*} Central STD clinic Colombo and peripheral STD clinics of National STD/AIDS Control Programme of Sri Lank # Includes adjustments for revised diagnosis, reporting delays or any other amendments

- 1-Includes AIDS cases
- 2-Diagnosed within 2 years of infection and considered to be infectious.
- 3-Diagnosed after 2 years of infection and considered to be non-infectious
- 4-Includes both early and late cases
- 5-Includes presumptive Gonorrhoea
- 6-Includes both gonococcal and chlamydial conjunctivitis in neonatal period
- 7-Includes Lympho granuloma venerium, Granuloma inguinalae, Molluscum contagiosum, Scabis, Tinea, Hepa
- 8-Number of STD clinic attendees who were not having sexually transmitted diseases

α

titis-B etc.