## NATIONAL STD/AIDS CONTROL PROGRAMME

## QUARTERLY RETURN OF SEXUALLY TRANSMITTED DISEASE INCLUDING HIV/AIDS FOR EPIDEMIOLOGICAL BULLETIN OF THE EPIDEMIOLOGY UNIT OF MINISTRY OF HEALTH

## New episodes of STD/HIV/AIDS reported or treated at STD clinics in Sri Lanka Year 2013 2nd Quarter

Disease		New cases or new disease episodes during the quarter			Total new cases or new episodes for the calendar year up to end of the quarter#		
		Male	Female	Total	Male	Female	Total
HIV Positives <sup>1</sup>		31	15	46	60	30	90
AIDS		7	4	11	19	6	25
Syphilis	Early Syphilis <sup>2</sup>	50	28	78	101	51	152
	Late Syphilis <sup>3</sup>	124	73	197	256	144	400
	Congenital Syphilis <sup>4</sup>	1	0	1	3	2	5
Gonorrhoea <sup>5</sup>		92	32	124	189	59	248
Ophthalmia Neonatorum <sup>6</sup>		0	1	1	0	2	2
Non specific cervicitis/urethritis		158	318	476	336	652	988
Chlamydial Infection		0	0	0	3	0	3
Genital Herpes		292	409	701	554	769	1323
Genital Warts		273	176	449	529	336	865
Chancroid		1	1	2	1	1	2
Trichomoniasis		0	26	26	4	56	60
Candidasis		229	360	589	454	694	1148
Bacterial Vaginosis		0	304	304	0	610	610
Other sexually transmitted diseases <sup>7</sup>		129	40	169	222	74	296
Non STI/Uncertain		740	405	1145	1544	809	2353

<sup>\*</sup> Central STD clinic Colombo and peripheral STD clinics of National STD/AIDS Control Programme of Sri Lanka

<sup>#</sup> Includes adjustments for revised diagnosis, reporting delays or any other amendments

<sup>1-</sup>Includes AIDS cases

<sup>2-</sup>Diagnosed within 2 years of infection and considered to be infectious.

<sup>3-</sup>Diagnosed after 2 years of infection and considered to be non-infectious

<sup>4-</sup>Includes both early and late cases

<sup>5-</sup>Includes presumptive Gonorrhoea

<sup>6-</sup>Includes both gonococcal and chlamydial conjunctivitis in neonatal period

<sup>7-</sup>Includes Lympho granuloma venerium, Granuloma inguinalae, Molluscum contagiosum, Scabis, Tinea, Hepatitis-B etc.