## **NATIONAL STD/AIDS CONTROL PROGRAMME**

## QUARTERLY RETURN OF SEXUALLY TRANSMITTED DISEASE INCLUDING HIV/AIDS FOR EPIDEMIOLOGICAL BULLETIN OF THE EPIDEMIOLOGY UNIT OF MINISTRY OF HEALTH

New episodes of STD/HIV/AIDS reported or treated at STD clinics in Sri Lanka

Year 2019 2nd Quarter

Disease	New cases or new disease			Total new cases or new episodes		
	episodes during the quarter			for the calendar year up to end		
				of the quarter#		
	Male	Female	Total	Male	Female	Total
HIV Positives <sup>1</sup>	75	26	101	150	51	201
AIDS	17	6	23	34	15	49
Early Syphilis <sup>2</sup>	23	12	35	39	17	56
Late Syphilis <sup>3</sup>	108	42	150	217	109	326
Congenital Syphilis <sup>4</sup>	0	2	2	1	5	6
Gonorrhoea <sup>5</sup>	61	10	71	106	22	128
Ophthalmia Neonatorum <sup>6</sup>	0	1	1	0	1	1
Non specific cervicitis/urethritis	304	517	821	575	1058	1633
Chlamydial Infection	0	0	0	1	0	1
Genital Herpes	313	451	764	665	925	1590
Genital Warts	360	269	629	724	562	1286
Pelvic inflammatory disease	0	18	18	0	43	43
Trichomoniasis	2	10	12	2	20	22
Candidasis	322	522	844	680	979	1659
Bacterial Vaginosis	0	411	411	0	911	911
Other sexually transmitted diseases <sup>7</sup>	108	44	152	228	118	346
Non-venereal <sup>8</sup>	969	533	1502	1891	1064	2955

<sup>\*</sup> Central STD clinic Colombo and peripheral STD clinics of National STD/AIDS Control Programme of Sri La # Includes adjustments for revised diagnosis , reporting delays or any other amendments

- 1-Includes AIDS cases
- 2-Diagnosed within 2 years of infection and considered to be infectious.
- 3-Diagnosed after 2 years of infection and considered to be non-infectious
- 4-Includes both early and late cases
- 5-Includes presumptive Gonorrhoea
- 6-Includes both gonococcal and chlamydial conjunctivitis in neonatal period
- 7-Includes Lympho granuloma venerium, Granuloma inguinalae, Molluscum contagiosum, Scabis, Tinea, Her
- 8-Number of STD clinic attendees who were not having sexually transmitted diseases

