## **NATIONAL STD/AIDS CONTROL PROGRAMME**

## QUARTERLY RETURN OF SEXUALLY TRANSMITTED DISEASE INCLUDING HIV/AIDS FOR EPIDEMIOLOGICAL BULLETIN OF THE EPIDEMIOLOGY UNIT OF MINISTRY OF HEALTH

New episodes of STD/HIV/AIDS reported or treated at STD clinics in Sri Lanka

Year 2019 3rd Quarter

	New cases or new disease			Total new cases or new episodes		
Disease	episodes during the quarter			for the calendar year up to end		
				of the quarter#		
	Male	Female	Total	Male	Female	Total
HIV Positives <sup>1</sup>	98	14	112	248	65	313
AIDS	15	6	21	49	21	70
Early Syphilis <sup>2</sup>	20	7	27	59	24	83
Late Syphilis <sup>3</sup>	139	74	213	356	183	539
Congenital Syphilis <sup>4</sup>	1	2	3	2	7	9
Gonorrhoea <sup>5</sup>	73	10	83	179	32	211
Ophthalmia Neonatorum <sup>6</sup>	0	0	0	0	1	1
Non specific cervicitis/urethritis	274	632	906	849	1690	2539
Chlamydial Infection	1	3	4	2	3	5
Genital Herpes	347	460	807	1012	1385	2397
Genital Warts	379	299	678	1103	861	1964
Pelvic inflammatory disease	0	22	22	0	65	65
Trichomoniasis	3	15	18	5	35	40
Candidasis	392	506	898	1072	1485	2557
Bacterial Vaginosis	0	497	497	0	1408	1408
Other sexually transmitted diseases <sup>7</sup>	180	57	237	408	175	583
Non-venereal <sup>8</sup>	1126	665	1791	3017	1729	4746

<sup>\*</sup> Central STD clinic Colombo and peripheral STD clinics of National STD/AIDS Control Programme of Sri Lai # Includes adjustments for revised diagnosis, reporting delays or any other amendments

- 1-Includes AIDS cases
- 2-Diagnosed within 2 years of infection and considered to be infectious.
- 3-Diagnosed after 2 years of infection and considered to be non-infectious
- 4-Includes both early and late cases
- 5-Includes presumptive Gonorrhoea
- 6-Includes both gonococcal and chlamydial conjunctivitis in neonatal period
- 7-Includes Lympho granuloma venerium, Granuloma inguinalae, Molluscum contagiosum, Scabis, Tinea, Hep
- 8-Number of STD clinic attendees who were not having sexually transmitted diseases