## QUARTERLY RETURN OF SEXUALLY TRANSMITTED DISEASE INCLUDING HIV/AIDS FOR EPIDEMIOLOGICAL BULLETIN OF THE EPIDEMIOLOGY UNIT OF MINISTRY OF HEALTH

## New episodes of STD/HIV/AIDS reported or treated at all STD clinics in Sri Lanka Year 2024 - 4<sup>th</sup> Quarter

Disease	New cases or new disease episodes during the quarter			Total new cases or new episodes  for the calendar year up to end  of the quarter#		
	Male	Female	Total	Male	Female	Total
HIV Positives <sup>1</sup>						
Newly diagnosed HepB(During the quarter	20	1	21	49	7	56
Early Syphilis <sup>2</sup>	115	34	149	512	125	637
Late Syphilis <sup>3</sup>	161	60	221	576	256	832
Congenital Syphilis⁴	5	1	6	10	4	14
Gonorrhoea <sup>5</sup>	178	23	201	875	160	1,035
Ophthalmia Neonatorum <sup>6</sup>	0	0	0	0	0	0
Non specific cervicitis/urethritis	194	661	855	778	2,514	3,292
Chlamydial Infection	2	1	3	10	31	41
Genital Herpes	296	418	714	1,214	1,677	2,891
Genital Warts	352	280	632	1,457	1,122	2,579
Pelvic inflammatory disease		21	21		72	72
Trichomoniasis	14	20	34	37	53	90
Candidasis	355	497	852	1,288	1,946	3,234
Bacterial Vaginosis		413	413		1,641	1,641
Other sexually transmitted diseases <sup>7</sup>	203	109	312	575	249	824
Non-venereal <sup>8</sup>	1,231	1,125	2,356	4,944	4,873	9,817

# Includes adjustments for revised diagnosis, reporting delays or any other amendments

- 1- to be updated
- 2-Diagnosed within 2years of infection and considered to be infectious.
- 3-Diagnosed after 2 years of infection and considered to be non-infectious
- 4-Includes both early and late cases
- 5-Includes presumptive Gonorrhoea
- 6-Includes both gonococcal and chlamydial conjunctivitis in neonatal period
- 7-Includes Lympho granuloma venerium, Granuloma inguinalae, Molluscum contagiosum, Scabis, Tinea, Hepatitis-Betc.
- 8-Number of STD clinic attendees who were not having sexually transmitted diseases